

1st Law: $\Delta E = \Delta Q + \Delta W$

Or: $dE = dQ + dW$

Positive work for work done *on* the system.

$\Delta Q \equiv$ change in heat

if $\Delta Q = 0$ then adiabatic

Heat capacities:

$$c_V \equiv \left. \frac{dQ}{dT} \right|_V \quad c_P \equiv \left. \frac{dQ}{dT} \right|_P$$

$$c_V \equiv \left. \frac{\partial E}{\partial T} \right|_V$$

For an ideal gas only: $c_P - c_V = nR$

For reversible, adiabatic: $PV^g = \text{const}$ $g \equiv \frac{c_P}{c_V}$

van der Waal's gas equation: $\left(P + \frac{an^2}{V^2} \right) (V - b) = nRT$

In a cycle: $\oint_c dE = 0$

Zeroth Law:

If two bodies are in thermal equilibrium with a third, then they are in thermal equilibrium with each other.


Heat Engines: - run in cycles... thus $\Delta E = 0$

$w =$ work done BY system $W =$ work done ON system

ΔQ_H absorbed from "hot" source.

ΔQ_C emitted to "cooler" reservoir.

Engine does work... thus $w > 0$




$$w = Q_H - Q_C$$

$$h_E \equiv \frac{w}{Q_H} = 1 - \frac{Q_C}{Q_H} < 1$$

$$h \equiv \frac{\text{input}}{\text{useful output}}$$

Otto Cycle:



Q_H goes into system along $1 \rightarrow 2$
 Q_C leaves system along $3 \rightarrow 4$
 $4 \rightarrow 1$ & $2 \rightarrow 3$ are adiabats... thus $\Delta Q = 0$ here

Now:


$$c_V \equiv \left. \frac{dQ}{dT} \right|_V \quad c_P \equiv \left. \frac{dQ}{dT} \right|_P$$

Hence: $Q_H = c_V(T_2 - T_1)$

Similarly: $Q_C = -c_V(T_4 - T_3) = c_V(T_3 - T_4)$

Thus, the efficiency is: $h_E \equiv 1 - \frac{Q_C}{Q_H} = 1 - \frac{T_3}{T_2}$

Refrigerator:



$$W = Q_H - Q_C$$

$$h_R \equiv \frac{q_C}{W}$$

$$h \equiv \frac{\text{input}}{\text{useful output}}$$

Heat pump a similar setup to a refrigerator, except the “useful output” is q_H , so the efficiency term changes:

$$h_p \equiv \frac{q_H}{W}$$


Kelvin-Planck Statement:

It is impossible to construct an *engine*, operating in a cycle, which produces *no effect other* than the extraction of heat from a reservoir and the performance of an equivalent amount of heat.

Clausius' Statement:


It is impossible to construct a *refrigerator* operating in a cycle, which produces *no effect other* than the transfer of heat from cooler to a warmer body.

Conventions:



Carnot cycles:

- Carnot engine \equiv reversible engine operating between two reservoirs.
Thus, process must be isothermal or adiabatic.



The efficiency of an ideal gas-Carnot cycle:

$$dQ = dE - dW$$

And: $dW^{rev} = -pdV$ $E = E(T)$

Suppose four paths: $a \rightarrow b \rightarrow c \rightarrow d \rightarrow a$ (a closed cycle)

- Along $a \rightarrow b$ & $c \rightarrow d$ are isotherms;
 Q_H input along c/d Q_C output on a/b
- Along $b \rightarrow c$ & $d \rightarrow a$ are adiabats.

Now, $dE = 0$ along any isotherm. Hence, along isotherms:

$$dQ = pdV = \frac{nRTdV}{V}$$

$$c \rightarrow d \quad Q_H = \int_c^d dQ = nRT_H \ln\left(\frac{V_d}{V_c}\right)$$

$$a \rightarrow b \quad Q_C = nRT_C \ln\left(\frac{V_a}{V_b}\right)$$

Hence, the efficiency:

$$h_{CE} \equiv 1 - \frac{Q_C}{Q_H} = 1 - \frac{T_C}{T_H}$$

Thus: $\frac{Q_C}{T_C} = \frac{Q_H}{T_H}$ for Carnot engines.

- the max efficiency that can be achieved from an engine operating between two fixed reservoirs.

Clausius' Theorem: $\oint_c \frac{dQ}{T} \leq 0$

Equality for reversible... $\oint_c \frac{dQ^{rev}}{T} = 0$

Entropy: $\frac{dQ^{rev}}{T} \equiv dS$ S a state variable

- thus independent of path!!

In isolated systems: $dS \geq 0$ entropy can never decrease.

$dS = 0$ for any reversible, adiabatic process.

Spontaneous changes are ALWAYS irreversible

$$\Delta S_{system} + \Delta S_{surroundings} = 0$$

For irreversible entropy problem, as S is a state variable, can choose any path. Hence, choose a reversible path. Hence:

$$\Delta S = \int_c \frac{dQ^{rev}}{T}$$

Thermodynamic Relations:

Fundamental Thermodynamic Relation		$dE = TdS - pdV$	(for a gas)
Enthalpy	$H \equiv E + pV$	$dH = TdS + VdP$	$H(S, P)$
Helmholtz Free Energy	$F \equiv E - TS$	$dF = -pdV - SdT$	$F(V, T)$
Gibbs Free Energy	$G \equiv E - TS + pV$	$dG = -SdT + Vdp$	$G(T, p)$